

Metal 40KHz 3.2L 120W Table Top Ultrasonic Cleaner

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: 020S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



Product Specification

- Model: 020S
- First Tank Volume: 3.2L
- Tank Size: 240*135*100mm
- Ultrasonic Power: 120W
- Heating Power: 100W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80 Adjustable
- Materials: Stainless Steel 304
- Highlight: 120W Table Top Ultrasonic Cleaner, 3.2L Table Top Ultrasonic Cleaner, 40KHz Ultrasonic Cleaning Machine



More Images



Product Description

3.2L Ultrasonic Cleaner 120W for Vinyl Record, Lab,surgical instrument,dental, Musical Instruments 40KHz

Specification

| | |
|----------------------|-----------------------|
| Model | 020S |
| Ultrasonic frequency | 40,000Hz |
| Material of tank | SUS304 |
| Material of shell | SUS304 |
| Capacity | 3.2L |
| Timer | 0~30 mins adjustable |
| Temperature | 20~80 adjustable |
| Power supply type 1 | AC 100~120V, 50/60Hz |
| Power supply type 2 | AC 220~240V, 50/60Hz |
| Ultrasonic power | 120W |
| Heating Power | 100W |
| Tank inner dimension | 240*135*100mm |
| Unit dimension | 270*185*230mm |
| Inner Packing size | 255*240*230mm |
| N.W. | 3.35kg |
| G.W. | 4kg |
| Warranty | 1 year |
| Certificate | SGS & FCC & CE & RoHS |

Similar models with different capacity:

Stainless Bench Top



| Model | Capacity | Tank Size | Ultrasonic Power | Heating Power | Frequency |
|-------------|------------|--------------------|------------------|---------------|-----------|
| | (L) | (L*W*H)mm | (W) | (W) | (KHz) |
| 008 | 0.8 | 150*85*65 | 35 | 0 | 40 |
| 009 | 0.9 | 150*135*65 | 60 | 100 | 40 |
| 010T | 2 | 150*165*100 | 60 | 100 | 40 |
| 020S | 3.2 | 240*135*100 | 120 | 100 | 40 |
| 030S | 4.5 | 300*150*100 | 180 | 200 | 40 |
| 031S | 6.5 | 300*150*150 | 180 | 200 | 40 |
| 040S | 10 | 300*240*150 | 240 | 200 | 40 |
| 060S | 15 | 330*300*150 | 360 | 300 | 40 |
| 080S | 22 | 500*300*150 | 480 | 500 | 40 |
| 100S | 30 | 500*300*200 | 600 | 500 | 40 |

Products details:

PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance



1


Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.

2

Insulation handle

Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.



3


Double insurance

Independent switch operation safety, built-in spare fuse, double insurance.

4

SUS304 tank

Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health



5

Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding

How to Use an Ultrasonic Cleaner for Medical & Surgical

Instruments

Medical and surgical instruments in a variety of sizes and complexity can pose challenges when it comes to cleaning, disinfecting and sterilizing them after use. An ultrasonic cleaner is an ideal tool for the first step in this three step process to protect medical personnel and patients from possible infection due to pathogens that remain on the instruments after a procedure.

Compared to traditional cleaning methods, ultrasonic cleaners show great advantages. Especially in specialized and group-oriented production enterprises, ultrasonic cleaning has gradually replaced traditional dipping, brushing, pressure washing, vibration cleaning and steam cleaning.

Ultrasonic cleaners are highly efficient and clean, thanks to the penetrating and cavitation shock waves that their sound waves travel through the medium. Therefore, it is easy to clean the parts with complicated shapes, and the general degreasing, descaling, phosphating and other processes can be completed in two or three minutes under the action of ultrasonic waves, and the speed can be several times higher than the conventional method. To a few dozen degrees, the cleanliness can also reach a high standard, which highlights the results that are difficult or impossible to replace with other treatment methods in many cases where the surface quality and production efficiency of the product are high.

Application:

Jewelry industry, medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university, dental clinics, eyeglass shop, hardware tools shop, printing industry.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen